










ENLIGHTENING PLAST

www.enlightening-plast.com



OUR PARTNERS

Coca-Cola



Continental 
The Future in Motion



P&G



DHL

aramex





Carrefour 



SUNTORY

TABLE OF CONTENTS

- 1 GRID SURFACE | 3 RUNNERS
- 2 FLAT SURFACE | 3 RUNNERS
- 3 GRID SURFACE | 6 RUNNERS
- 4 GRID SURFACE | 6 RUNNERS
- 5 FLAT SURFACE | 6 RUNNERS
- 6 GRID SURFACE | 9 LEGS NESTABLE
- 7 FLAT SURFACE | 9 LEGS NESTABLE
- 8 GRID SURFACE | 9 LEGS
- 9 FLAT SURFACE | 9 LEGS
- 10 GRID SURFACE | REVERSIBLE
- 11 GRID SURFACE | REVERSIBLE
- 12 GRID SURFACE | REVERSIBLE
- 13 FLAT SURFACE | REVERSIBLE
- 14 FLAT SURFACE | REVERSIBLE
- 15 SPILL PALLETS & WATER BOTTLES PALLETS



ABOUT US :

Enlightening is a medium-sized company, having 400 employees, established at 2000 based in China, having two huge manufacturing facilities located Shanghai, China

With total area of 90,000 meter square, 60 sets of production lines, and 700 Plastic injection molds

ENLIGHTENING Annual Turnover reach 90 -100 million us dollar, overseas sales make up 30% of the total value, we are proud to be one of the biggest exporters for plastic pallets around the world.

Our sales team in china are covering more than 40 countries globally

Through hardworking and passion, the company has grown over the last 20 years into one of the leading Chinese manufacturers of transport and storage products made from synthetic materials. With outstanding value for money, a comprehensive product range, and our high-quality service, we want to offer an unforgettable shopping experience for our customers – from ordering to dispatching the required item.

ENLIGHTENING has 60 sets of injection machines, with different sizes and capacities - up to 4000 TON

GRID SURFACE | 3 RUNNERS

ONE TIME INJECTION

RACKABLE



ENL-1008CWZJ 100 x 80 x 15 cm				
WEIGHT ± 5%	9.0 kg	13.5 kg	(7 BARS)	
LOAD CAPACITY				
	6 T	1.5T	1 T	
CONTAINER	20FT	290	40HC	720

ENL-1010H2 100 x 100 x 15 cm				
WEIGHT ± 5%	13.6 kg	19.6 kg	(8 BARS)	
LOAD CAPACITY				
	6 T	1.5T	1 T	
CONTAINER	20FT	240	40HC	600

ENL-Y1111WHC 110 x 110 x 15 cm				
WEIGHT ± 5%	14.0 kg	20.5 kg	(8 BARS)	
LOAD CAPACITY				
	6 T	1.5T	1 T	
CONTAINER	20FT	190	40HC	462

ENL-Y1208WHB 120 x 80 x 15 cm				
WEIGHT ± 5%	11.0 kg	16.0 kg	(8 BARS)	
LOAD CAPACITY				
	6 T	1.5T	1 T	
CONTAINER	20FT	220	40HC	600

ENL-Y1210WHC 120 x 100 x 15 cm				
WEIGHT ± 5%	13.5 kg	20.5 kg	(8 BARS)	
LOAD CAPACITY				
	6 T	1.5T	1 T	
CONTAINER	20FT	210	40HC	530

ENL-Y1211WHC 120 x 110 x 15 cm				
WEIGHT ± 5%	15.7 kg	22.7 kg	(8 BARS)	
LOAD CAPACITY				
	6 T	1.5T	1 T	
CONTAINER	20FT	180	40HC	450

ENL-Y1212WHC 120 x 120 x 15 cm				
WEIGHT ± 5%	16.5 kg	23.5 kg	(8 BARS)	
LOAD CAPACITY				
	6 T	1.5T	1 T	
CONTAINER	20FT	170	40HC	420

ENL-Y1311WHC 130 x 110 x 15 cm				
WEIGHT ± 5%	16.3 kg	24.3 kg	(8 BARS)	
LOAD CAPACITY				
	6 T	1.5T	1 T	
CONTAINER	20FT	170	40HC	400

ENL-1313H2 130 x 130 x 15 cm				
WEIGHT ± 5%	23.5 kg	35.5 kg	(8 BARS)	
LOAD CAPACITY				
	6 T	1.5T	1 T	
CONTAINER	20FT	150	40HC	380

ENL-Y1411WHC 140 x 110 x 15 cm				
WEIGHT ± 5%	18.3 kg	27.3 kg	(8 BARS)	
LOAD CAPACITY				
	6 T	1.5T	1 T	
CONTAINER	20FT	150	40HC	380

ENL-Y1412WHC 140 x 120 x 16 cm				
WEIGHT ± 5%	20.5 kg	29.5 kg	(8 BARS)	
LOAD CAPACITY				
	6 T	1.5T	1 T	
CONTAINER	20FT	130	40HC	330

ENL-Y144115WHC 144 x 115 x 16 cm				
WEIGHT ± 5%	20.0 kg	29.0 kg	(8 BARS)	
LOAD CAPACITY				
	6 T	1.5 T	1 T	
CONTAINER	20FT	130	40HC	330


FLAT SURFACE | 3 RUNNERS

WELDED

RACKABLE




ENL-1010H 100 x 100 x 16.5 cm




WEIGHT ± 5%	14.6 kg	21.6 kg	(7 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	240	40HC 600

ENL-1111PGC 110 x 110 x 15 cm




WEIGHT ± 5%	18.0 kg	23.4 kg	(5 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	180	40HC 462

ENL-H1111PHB 110 x 110 x 15 cm




WEIGHT ± 5%	16.9 kg	23.9 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	180	40HC 450

ENL-1208PGC 120 x 80 x 15 cm




WEIGHT ± 5%	16.4 kg	21.4 kg	(5 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	210	40HC 520

ENL-H1208PHA 120 x 80 x 15 cm




WEIGHT ± 5%	13.9 kg	20.9 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	210	40HC 520

ENL-1210PGC 120 x 100 x 15 cm




WEIGHT ± 5%	18.0 kg	23.5 kg	(5 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	190	40HC 470

ENL-H1210PHA 120 x 100 x 15 cm




WEIGHT ± 5%	16.0 kg	22.8 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	200	40HC 500

ENL-H1211PHA 120 x 110 x 15 cm




WEIGHT ± 5%	20.0 kg	28.0 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	170	40HC 430

ENL-H1211PHB 120 x 110 x 15 cm




WEIGHT ± 5%	19.5 kg	26.5 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	170	40HC 430

ENL-H1212PHA 120 x 120 x 16 cm




WEIGHT ± 5%	20.8 kg	28.8 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	170	40HC 420

ENL-H1311PHA 130 x 110 x 16 cm



WEIGHT ± 5%	21.5 kg	29.5 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	150	40HC 380

ENL-1313H 130 x 130 x 15 cm



WEIGHT ± 5%	24.0 kg	33.0 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	150	40HC 380

STACKABLE




4	WAY
---	-----




4	WAY
---	-----

ENL-Y1111WTD	110 x 110 x 15 cm
--------------	-------------------




WEIGHT ± 5%	14.5 kg	21.5 kg	(8 BARS)
LOAD CAPACITY	 6 T	 1.5 T	 1 T
CONTAINER	20FT 145	40HC 362	

ENL-Y1111WTC 110 x 110 x 12 cm




WEIGHT $\pm$ 5%	7.2 kg			
LOAD CAPACITY	  			
	2 T 1 T		X	
CONTAINER	20FT	180	40HC	450

ENL-Y1208WTC	120 x 80 x 13.5 cm
--------------	--------------------




WEIGHT ± 5%	10.0 kg	14.5 kg	(3 BARS)
LOAD CAPACITY	 4 T	 1.5T	 1 T
CONTAINER	20FT 220	40HC 535	

ENL-Y1210WTE 120 x 100 x 15 cm




WEIGHT ± 5%	14.7 kg	21.7 kg	(8 BARS)
LOAD CAPACITY	 6 T	 1.5 T	 1 T
CONTAINER	20FT 150	40HC 367	

ENL-Y1210WTC 120 x 100 x 120 cm




WEIGHT $\pm$ 5%	7.2 kg			
LOAD CAPACITY	   			
	2 T	1T	X	
CONTAINER	20FT	180	40HC	450

ENL-Y1211WTA 120 x 110 x 15 cm




WEIGHT $\pm 5\%$	15.0 kg	22.0 kg	(8 BARS)
LOAD CAPACITY			
	6 T	1.5 T	1 T
CONTAINER	20FT 140	40HC 340	

ENL-Y1212WTB 120 x 120 x 15 cm




WEIGHT $\pm 5\%$	16.5 kg	23.5 kg	(8 BARS)
LOAD CAPACITY			
	6 T	1.5 T	1 T
CONTAINER	20FT	120	40HC 310

ENL-Y1411WTA 140 x 110 x 15 cm



WEIGHT ± 5%	17.0 kg	26.0 kg	(8 BARS)
LOAD CAPACITY			
	6 T	1.5 T	1 T
CONTAINER	20FT	115	40HC 280

ENL-Y1412WTA 140 x 120 x 15 cm



WEIGHT ± 5%	19.0 kg	28.0 kg	(8 BARS)
LOAD CAPACITY			
	6 T	1.5 T	1 T
CONTAINER	20FT	105	40HC 272

GRID SURFACE | 6 RUNNERS

WELDED

RACKABLE

STACKABLE




4 WAY



4 WAY



ENL-H1111WTC 110 x 110 x 15 cm




WEIGHT ± 5% 16.0 kg 23.0 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 145 40HC 362

ENL-H1210WTB 120 x 100 x 15 cm




WEIGHT ± 5% 17.0 kg 24.0 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 150 40HC 367

ENL-H1211WTB 120 x 110 x 15 cm




WEIGHT ± 5% 17.5 kg 24.5 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 140 40HC 340

ENL-H1212WTB 120 x 120 x 15 cm




WEIGHT ± 5% 18.7 kg 26.7 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 120 40HC 310

ENL-H1311WTA 130 x 110 x 15 cm




WEIGHT ± 5% 19.5 kg 27.5 kg (8 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 125 40HC 310

ENL-1313C 130 x 130 x 16 cm




WEIGHT ± 5% 24.0 kg 28.6 kg (4 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 105 40HC 264

ENL-H1411WTA 140 x 110 x 15 cm




WEIGHT ± 5% 23.0 kg 32.0 kg (16 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 115 40HC 280

ENL-H1412WTA 140 x 120 x 15 cm




WEIGHT ± 5% 26.5 kg 35.5 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 105 40HC 272

ENL-1414C 140 x 140 x 16 cm




WEIGHT ± 5% 30.0 kg 35.0 kg (6 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 60 40HC 145

ENL-1515C 150 x 150 x 16 cm



WEIGHT ± 5% 34.0 kg 39.8 kg (6 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 68 40HC 168

FLAT SURFACE | 6 RUNNERS

WELDED

RACKABLE

STACKABLE




4 WAY
✓




4 WAY
✓

ENL-110830G 110 x 83 x 17.5 cm




WEIGHT ± 5%	13.1 kg	15.6 kg (3 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	130

ENL-H1111PTC 110 x 110 x 15 cm




WEIGHT ± 5%	16.5 kg	23.5 kg (12 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	140

ENL-1208B1 120 x 80 x 15 cm




WEIGHT ± 5%	18.0 kg
LOAD CAPACITY	4 T
CONTAINER	20FT

ENL-H1210PTB 120 x 100 x 15 cm




WEIGHT ± 5%	17.0 kg	28.0 kg (12 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	150

ENL-H1211PTB 120 x 110 x 15 cm




WEIGHT ± 5%	19.4 kg	27.4 kg (12 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	120

ENL-H1212PTB 120 x 120 x 15 cm




WEIGHT ± 5%	19.7 kg	27.7 kg (12 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	120

ENL-H1311PTA 130 x 110 x 15 cm




WEIGHT ± 5%	27.6 kg	35.6 kg (12 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	125

ENL-1313C 130 x 130 x 15 cm




WEIGHT ± 5%	26.5 kg	31.1 kg (4 BARS)
LOAD CAPACITY	6 T	2 T
CONTAINER	20FT	120

ENL-H1411PTA 140 x 110 x 15 cm



WEIGHT ± 5%	23.0 kg	33.0 kg (12 BARS)
LOAD CAPACITY	6 T	2 T
CONTAINER	20FT	115

ENL-H1412PTA 140 x 120 x 15 cm



WEIGHT ± 5%	28.0 kg	38.0 kg (12 BARS)
LOAD CAPACITY	6 T	2 T
CONTAINER	20FT	105

GRID SURFACE | 9 LEGS NESTABLE


ONE TIME INJECTION

GROUND USE

EXPORT USE




ENL-Y1008WQA 100 x 80 x 14 cm




WEIGHT ± 5%	4.9 kg			
LOAD CAPACITY				
	1.5T	0.5 T	X	
CONTAINER	20FT	600	40HC	1450

ENL-Y1010WQA 100 x 100 x 14 cm




WEIGHT ± 5%	5.7 kg			
LOAD CAPACITY				
	1.5T	0.5 T	X	
CONTAINER	20FT	550	40HC	1300

ENL-Y1109WQA 110 x 90 x 14 cm




WEIGHT ± 5%	6.2 kg			
LOAD CAPACITY				
	1.5T	0.5 T	X	
CONTAINER	20FT	470	40HC	1150

ENL-Y1110WQA 110 x 100 x 14 cm




WEIGHT ± 5%	6.7 kg			
LOAD CAPACITY				
	1.5T	0.5 T	X	
CONTAINER	20FT	450	40HC	1100

ENL-Y1111WQC 110 x 110 x 14 cm




WEIGHT ± 5%	6.7 kg			
LOAD CAPACITY				
	1.5T	0.5 T	X	
CONTAINER	20FT	450	40HC	1100

ENL-Y1111WQB 110 x 110 x 14 cm




WEIGHT ± 5%	6.2 kg			
LOAD CAPACITY				
	1.5T	0.5 T	X	
CONTAINER	20FT	450	40HC	1100

ENL-Y1111WQA 110 x 110 x 13.5 cm




WEIGHT ± 5%	7.8 kg			
LOAD CAPACITY				
	1.5T	0.5 T	X	
CONTAINER	20FT	410	40HC	1050

ENL-Y1208WQA 120 x 80 x 13.5 cm




WEIGHT ± 5%	5.8 kg			
LOAD CAPACITY				
	1.5T	0.5 T	X	
CONTAINER	20FT	500	40HC	1200

ENL-Y1210WQB 120 x 100 x 14 cm




WEIGHT ± 5%	6.2 kg			
LOAD CAPACITY				
	1.5T	0.5 T	X	
CONTAINER	20FT	400	40HC	1166

ENL-Y1210WQA 120 x 100 x 14 cm




WEIGHT ± 5%	7.5 kg			
LOAD CAPACITY				
	1.5T	0.5 T	X	
CONTAINER	20FT	400	40HC	1166

ENL-Y1211WQA 120 x 110 x 14 cm



WEIGHT ± 5%	6.8 kg			
LOAD CAPACITY				
	1.5T	0.5 T	X	
CONTAINER	20FT	440	40HC	900

ENL-Y1212WQA 120 x 120 x 13.5 cm



WEIGHT ± 5%	8.8 kg			
LOAD CAPACITY				
	1.5T	0.5 T	X	
CONTAINER	20FT	370	40HC	830

FLAT SURFACE | 9 LEGS NESTABLE


ONE TIME INJECTION

GROUND USE

EXPORT USE



ENL-Y11473PQJ 114 x 73.0 x 14.5 cm




WEIGHT ± 5% 6.6 kg

LOAD CAPACITY

1.5T 0.5 T X

CONTAINER 20FT 450 40HC 1100

ENL-Y11473PQJ 114 x 73.5 x 14.5 cm




WEIGHT ± 5% 6.6 kg

LOAD CAPACITY

1.5T 0.5 T X

CONTAINER 20FT 450 40HC 1100

ENL-Y11573PQJ 115 x 73 x 15 cm




WEIGHT ± 5% 6.9 kg

LOAD CAPACITY

1.5T 0.5 T X

CONTAINER 20FT 450 40HC 1100

ENL-Y11574PQJ 115 x 74 x 15 cm




WEIGHT ± 5% 6.9 kg

LOAD CAPACITY

1.5T 0.5 T X

CONTAINER 20FT 450 40HC 1100

ENL-Y11575PQJ 115 x 75 x 15 cm




WEIGHT ± 5% 6.9 kg

LOAD CAPACITY

1.5T 0.5 T X

CONTAINER 20FT 450 40HC 1100

ENL-Y1111PQA 110 x 110 x 13.5 cm




WEIGHT ± 5% 9.3 kg

LOAD CAPACITY

1.5T 0.5 T X

CONTAINER 20FT 410 40HC 1050

ENL-1111CS 110 x 110 x 15 cm




WEIGHT ± 5% 8.5 kg

LOAD CAPACITY

3T 0.8 T X

CONTAINER 20FT 400 40HC 1000

ENL-Y1208PQA 120 x 80 x 13.5 cm




WEIGHT ± 5% 7.0 kg

LOAD CAPACITY

1.5T 0.5 T X

CONTAINER 20FT 500 40HC 1200

ENL-1210CS 120 x 100 x 15 cm




WEIGHT ± 5% 8.5 kg

LOAD CAPACITY

1.5T 0.5 T X

CONTAINER 20FT 400 40HC 1000

ENL-Y1212PQA 120 x 120 x 13.5 cm



WEIGHT ± 5% 10.9 kg

LOAD CAPACITY

1.5T 0.5 T X

CONTAINER 20FT 370 40HC 830


GRID SURFACE | 9 LEGS

ONE TIME INJECTION

GROUND USE




ENL-Y1008WJA 100 x 80 x 15 cm




WEIGHT ± 5%	8.1 kg	10.1 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	280	40HC 700

ENL-Y1010WJA 100 x 100 x 15 cm




WEIGHT ± 5%	8.7 kg	11.2 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	240	40HC 600

ENL-Y1109WJA 110 x 90 x 15 cm




WEIGHT ± 5%	9.2 kg	11.7 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	240	40HC 600

ENL-Y1111WJA 110 X 110 X 14.5 cm




WEIGHT ± 5%	13.3 kg	16.3 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	240	40HC 580

ENL-Y1208WJA 120 x 80 x 14.5 cm




WEIGHT ± 5%	11.0 kg	14.0 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	240	40HC 600

ENL-Y1210WJB 120 x 100 x 14 cm




WEIGHT ± 5%	12.4 kg	15.4 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	200	40HC 500

ENL-Y1211WJA 120 x 110 x 14 cm




WEIGHT ± 5%	12.5 kg	15.5 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	160	40HC 400

ENL-Y1212WJB 120 x 120 x 14 cm




WEIGHT ± 5%	14.7 kg	17.7 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	160	40HC 400

ENL-Y1311WJA 130 x 110 x 14.5 cm




WEIGHT ± 5%	14.7 kg	18.2 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	130	40HC 310

ENL-Y1411WJB 140 x 110 x 14.8 cm




WEIGHT ± 5%	17.7 kg	21.4 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	115	40HC 280

ENL-Y1412WJA 140 x 120 x 14.5 cm



WEIGHT ± 5%	18.9 kg	22.9 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	118	40HC 272

ENL-Y1414WJA 140 x 140 x 14.5 cm




WEIGHT ± 5%	17.8 kg	23.3 kg	(6 BARS)
LOAD CAPACITY			
CONTAINER	20FT	68	40HC 168


FLAT SURFACE | 9 LEGS

ONE TIME INJECTION

GROUND USE




ENL-Y1008PJA 100 x 80 x 15 cm




WEIGHT ± 5%	8.7 kg	10.7 kg	(3 BARS)
LOAD CAPACITY			
CONTAINER	20FT	280	40HC 700

ENL-Y1010PJA 100 x 100 x 15 cm




WEIGHT ± 5%	9.9 kg	12.4 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	240	40HC 600

ENL-Y1109PJA 110 x 90 x 15 cm




WEIGHT ± 5%	10.8 kg	13.3 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	240	40HC 600

ENL-Y1111PJA 110 x 110 x 14.5 cm




WEIGHT ± 5%	14.6 kg	17.1 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	240	40HC 580

ENL-Y1208PJB 120 x 80 x 15 cm




WEIGHT ± 5%	11.0 kg	14.0 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	200	40HC 500

ENL-Y1210PJB 120 x 100 x 14 cm




WEIGHT ± 5%	13.4 kg	16.4 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	200	40HC 500

ENL-Y1211PJA 120 x 110 x 14 cm




WEIGHT ± 5%	15.3 kg	18.3 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	160	40HC 400

ENL-Y1212PJB 120 x 120 x 14 cm




WEIGHT ± 5%	15.6 kg	19.0 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	160	40HC 400

ENL-Y1311PJA 130 x 110 x 14.5 cm




WEIGHT ± 5%	17.4 kg	20.9 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	130	40HC 310

ENL-Y1411PJA 140 x 110 x 14.5 cm




WEIGHT ± 5%	22.2 kg	26.2 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	115	40HC 280

ENL-Y1412PJA 140 x 120 x 14.5 cm



WEIGHT ± 5%	23.3 kg	27.3 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	118	40HC 272

ENL-Y1414PJA 140 x 140 x 14.5 cm



WEIGHT ± 5%	25.7 kg	30.3 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	68	40HC 168

GRID SURFACE | REVERSIBLE

ONE TIME INJECTION

RACKABLE

STACKABLE




4 WAY
✓




4 WAY
✗

ENL-Y1111WSA 110 x 110 x 15 cm




WEIGHT ± 5%	19.0 kg			
LOAD CAPACITY				
	6 T	1.5 T	0.5 T	
CONTAINER	20FT	145	40HC	362

ENL-Y1111WSB 110 x 110 x 15 cm




WEIGHT ± 5%	21.0 kg			
LOAD CAPACITY				
	6 T	1.5 T	0.5 T	
CONTAINER	20FT	145	40HC	362

ENL-Y1111WSC 110 x 110 x 15 cm




WEIGHT ± 5%	22.0 kg			
LOAD CAPACITY				
	6 T	1.5 T	0.5 T	
CONTAINER	20FT	145	40HC	362

ENL-Y1111WSE 110 x 110 x 15 cm




WEIGHT ± 5%	19.5 kg			
LOAD CAPACITY				
	6 T	1.5 T	0.5 T	
CONTAINER	20FT	145	40HC	362

ENL-Y1210WSC 120 x 100 x 15 cm




WEIGHT ± 5%	19.5 kg	25.5 kg (8 BARS)		
LOAD CAPACITY				
	6 T	1.5 T	1T	
CONTAINER	20FT	150	40HC	367

ENL-Y1210WSB 120 x 100 x 15 cm




WEIGHT ± 5%	19.5 kg			
LOAD CAPACITY				
	6 T	1.5 T	0.5 T	
CONTAINER	20FT	150	40HC	367

ENL-Y1212WSA 120 x 120 x 15 cm




WEIGHT ± 5%	23.0 kg			
LOAD CAPACITY				
	6 T	1.5 T	0.5 T	
CONTAINER	20FT	120	40HC	310

ENL-Y1311WSA 130 x 110 x 15 cm




WEIGHT ± 5%	24.0 kg			
LOAD CAPACITY				
	6 T	1.5 T	0.5 T	
CONTAINER	20FT	125	40HC	310

ENL-Y1411WSB 140 x 110 x 15 cm




WEIGHT ± 5%	25.4 kg			
LOAD CAPACITY				
	6 T	1.5 T	0.5 T	
CONTAINER	20FT	115	40HC	280

ENL-Y1411WSA 140 x 110 x 15 cm



WEIGHT ± 5%	30.5 kg			
LOAD CAPACITY				
	6 T	1.5 T	0.5 T	
CONTAINER	20FT	115	40HC	280

ENL-Y1412WSB 140 x 120 x 15 cm



WEIGHT ± 5%	27.0 kg			
LOAD CAPACITY				
	6 T	1.5 T	0.5 T	
CONTAINER	20FT	105	40HC	272


GRID SURFACE | REVERSIBLE

WELDED

RACKABLE




ENL-H1010WSA/B 100 x 100 x 16/15 cm




WEIGHT ± 5%	15.0 kg	22.0 kg	(8 BARS)
LOAD CAPACITY			
	6 T	1.5 T	1 T
CONTAINER	20FT	180	40HC 450

ENL-H1109WSA/B 110 x 90 x 16/15 cm




WEIGHT ± 5%	14.6 kg	19.6 kg	(8 BARS)
LOAD CAPACITY	 6 T	 1.5 T	 1 T
CONTAINER	20FT	180	40HC 446

ENL-H1111WSE 110 x 110 x 15 cm




WEIGHT ± 5%	18.4 kg	25.4 kg	(8 BARS)
LOAD CAPACITY	 6 T	 1.5 T	 1 T
CONTAINER	20FT	140	40HC 363

ENL-H1208WSA 120 x 80 x 15 cm




WEIGHT ± 5%	coming soon			
LOAD CAPACITY				
CONTAINER	6 T	1.5 T	40HC	1 T

ENL-H1210WSF 120 x 100 x 15 cm




WEIGHT ± 5%	18.6 kg	24.6 kg	(12 BARS)
LOAD CAPACITY			
	6 T	1.5 T	1 T
CONTAINER	20FT	150	40HC 367

ENL-H1211WSB 120 x 110 x 15 cm




WEIGHT ± 5%	19.4 kg	27.4 kg	(12 BARS)
LOAD CAPACITY			
	6 T	1.5 T	1 T
CONTAINER	20FT	140	40HC 340

ENL-H1212WSE 120 x 120 x 15 cm




WEIGHT ± 5%	21.0 kg	29.0 kg	(12 BARS)
LOAD CAPACITY			
	6 T	1.5 T	1 T
CONTAINER	20FT	120	40HC 310

ENL-H125112WSA 125 x 112 x 14 cm




WEIGHT ± 5%	22.0 kg	30.0 kg	(12 BARS)
LOAD CAPACITY			
	6 T	1.5 T	1 T
CONTAINER	20FT	120	40HC 310

ENL-H1310WSA 130 x 100 x 15 cm




WEIGHT ± 5%	23.0 kg	31.0 kg	(12 BARS)
LOAD CAPACITY			
	6 T	1.5 T	1 T
CONTAINER	20FT	145	40HC 358

ENL-H1311WSF 130 x 110 x 15 cm




WEIGHT ± 5%	21.7 kg	29.7 kg	(12 BARS)
LOAD CAPACITY			
	6 T	1.5 T	1 T
CONTAINER	20FT	120	40HC 310

ENL-H1411WSC 140 x 110 x 15 cm



WEIGHT ± 5%	27.2 kg	36.2 kg	(20 BARS)
LOAD CAPACITY	 6 T	 1.5 T	 1 T
CONTAINER	20FT	115	40HC 280

ENL-H1412WSD	140 x 120 x 15 cm
--------------	-------------------




WEIGHT ± 5%	29.0 kg	38.0 kg	(20 BARS)
LOAD CAPACITY			
	6 T	1.5 T	1 T
CONTAINER	20FT	105	40HC 272

GRID SURFACE | REVERSIBLE


WELDED

RACKABLE

STACKABLE




ENL-H1414WSC 140 x 140 x 15 cm




WEIGHT ± 5%	31.4 kg	40.4 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	77

ENL-H1512WSB 150 x 120 x 15 cm




WEIGHT ± 5%	31.3 kg	40.3 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	100

ENL-H1513WSA 150 x 130 x 15 cm




WEIGHT ± 5%	33.2 kg	42.2 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	95

ENL-H1515WSA 150 x 150 x 15 cm




WEIGHT ± 5%	37.0 kg	49.0 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	70

ENL-H1550WSA 155 x 155 x 15.4 cm




WEIGHT ± 5%	38.8 kg	50.8 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	70

ENL-H1614WSB 160 x 140 x 15 cm



WEIGHT ± 5%	37.0 kg	49.0 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	67

ENL-1616WSA 160 x 160 x 15 cm




WEIGHT ± 5%	43.4 kg	55.4 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	62

FLAT SURFACE | REVERSIBLE


WELDED

RACKABLE

STACKABLE




ENL-H1008PSA 100 x 80 x 16 cm




WEIGHT ± 5%	14.5 kg	20.0 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1T
CONTAINER	20FT	180	40HC 456

ENL-H1008PSB 100 x 80 x 15 cm




WEIGHT ± 5%	14.5 kg	20.0 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1T
CONTAINER	20FT	180	40HC 456

ENL-H1010PSA 100 x 100 x 16 cm




WEIGHT ± 5%	16.0 kg	21.5 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1T
CONTAINER	20FT	180	40HC 456

ENL-H1010PSB 100 x 100 x 15 cm




WEIGHT ± 5%	16.0 kg	21.5 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1T
CONTAINER	20FT	180	40HC 456

ENL-H1109PSA 110 x 90 x 16 cm




WEIGHT ± 5%	17.0 kg	23.0 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1T
CONTAINER	20FT	180	40HC 446

ENL-H1109PSB 110 x 90 x 15 cm




WEIGHT ± 5%	17.0 kg	23.0 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1T
CONTAINER	20FT	180	40HC 446

ENL-H1111PSE 110 x 110 x 15 cm




WEIGHT ± 5%	20.0 kg	27.0 kg	(12 BARS)
LOAD CAPACITY	6 T	1.5 T	1T
CONTAINER	20FT	140	40HC 362

ENL-H1208PSB 120 x 80 x 15 cm




WEIGHT ± 5%	coming soon		
LOAD CAPACITY	6 T	1.5 T	1T
CONTAINER	20FT	150	40HC 375

ENL-H1210PSF 120 x 100 x 15 cm




WEIGHT ± 5%	20.2 kg	26.2 kg	(12 BARS)
LOAD CAPACITY	6 T	1.5 T	1T
CONTAINER	20FT	150	40HC 367

ENL-H1211PSB 120 x 110 x 15 cm




WEIGHT ± 5%	21.6 kg	29.6 kg	(12 BARS)
LOAD CAPACITY	6 T	1.5 T	1T
CONTAINER	20FT	140	40HC 340

ENL-H1212PSE 120 x 120 x 15 cm



WEIGHT ± 5%	23.0 kg	31.0 kg	(12 BARS)
LOAD CAPACITY	6 T	1.5 T	1T
CONTAINER	20FT	120	40HC 280

ENL-H1310PSA 130 x 100 x 15 cm



WEIGHT ± 5%	26.1 kg	34.1 kg	(12 BARS)
LOAD CAPACITY	6 T	1.5 T	1T
CONTAINER	20FT	145	40HC 358

FLAT SURFACE | REVERSIBLE

WELDED

RACKABLE

STACKABLE




4 WAY



4 WAY




ENL-H1311PSG 130 x 110 x 15 cm




WEIGHT ± 5%	26.5 kg	34.5 kg (12 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	125

ENL-H1411PSD 140 x 110 x 15 cm




WEIGHT ± 5%	29.1 kg	38.1 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	115

ENL-H1412PSC 140 x 120 x 15 cm




WEIGHT ± 5%	31.6 kg	39.6 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	105

ENL-H1414PSA 140 x 140 x 16 cm




WEIGHT ± 5%	39.2 kg	47.2 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	77

ENL-H1414PSB 140 x 140 x 15 cm




WEIGHT ± 5%	39.2 kg	47.2 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	77

ENL-H1512PSB 150 x 120 x 15 cm




WEIGHT ± 5%	36.6 kg	45.6 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	100

ENL-H1513PSA 150 x 130 x 15 cm



WEIGHT ± 5%	38.4 kg	47.4 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	100

ENL-H1614PSA 160 x 140 x 15 cm



WEIGHT ± 5%	coming soon	
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	67

SPILL PALLETS

ONE TIME ROTOMOULD

GROUND USE

STACKABLE



ENL-1 DRUM 68 x 68 x 15 cm



WEIGHT ± 5%	8.0 kg	VOLUME	43 L
LOAD CAPACITY	0.7 T 0.3 T X		
CONTAINER	20FT	480	40HC 1120

ENL-2 DRUMS 132 x 68 x 15 cm



WEIGHT ± 5%	17.0 kg	VOLUME	80 L
LOAD CAPACITY	1.3 T 0.6 T X		
CONTAINER	20FT	240	40HC 560

ENL-2 DRUMS 132 x 68 x 30 cm



WEIGHT ± 5%	22.0 kg	VOLUME	120 L
LOAD CAPACITY	1.3 T 0.6 T X		
CONTAINER	20FT	240	40HC 560

ENL-2 DRUMS 132x70x45 cm



WEIGHT ± 5%	25.0 kg	VOLUME	150 L
LOAD CAPACITY	3 T 1.3 T X		
CONTAINER	20FT	150	40HC 380

ENL-4 DRUMS 132 x 132 x 15 cm



WEIGHT ± 5%	32.0 kg	VOLUME	150 L
LOAD CAPACITY	3 T 1.3 T X		
CONTAINER	20FT	120	40HC 290

ENL-4 DRUMS 132 x 132 x 30 cm



WEIGHT ± 5%	36.0 kg	VOLUME	220 L
LOAD CAPACITY	3 T 1.3 T X		
CONTAINER	20FT	104	40HC 234

ENL-IBC 160x160x70 cm



WEIGHT ± 5%	95kg		
LOAD CAPACITY	6T 3 T X		
CONTAINER	20FT	40	40HC 100

ENL-IBC 138x138x90 cm



WEIGHT ± 5%	95kg		
LOAD CAPACITY	6T 3 T X		
CONTAINER	20FT	40	40HC 100

ENL-DOUBLE IBC 220x130x50 cm



WEIGHT ± 5%	95kg		
LOAD CAPACITY	6 T 3 T X		
CONTAINER	20FT	40	40HC 100

ENL-IBC 160x160x70 cm



WEIGHT ± 5%	95kg		
LOAD CAPACITY	3 T 6 T X		
CONTAINER	20FT	40	40HC 100

ENL-RAMP 120 x 80 x 30 cm



WEIGHT ± 5%	22kg		
LOAD CAPACITY	1.3 T 0.6 T X		
CONTAINER	20FT	80	40HC 240

ENL-RAMP 120 x 80 x 15 cm



WEIGHT ± 5%	17kg		
LOAD CAPACITY	1.3 T 0.6 T X		
CONTAINER	20FT	80	40HC 240

SPILL PALLETS

ONE TIME ROTOMOULD

GROUND USE

STACKABLE



PLASTIC DRUM RACK 97x80x52 cm



WEIGHT ± 5%	20kg			
LOAD CAPACITY				
	3 T	1.3 T	X	
CONTAINER	20FT	67	40HC	175

DRUM CART 77x77x112 cm



WEIGHT ± 5%	8kg			
LOAD CAPACITY				
	3 T	1.3 T	X	
CONTAINER	20FT		40HC	

DRUM DOLLY WITH HANDLE 135x65x35 cm



WEIGHT ± 5%	40kg			
LOAD CAPACITY				
	3 T	1.3 T	X	
CONTAINER	20FT	79	40HC	180

PLASTIC CABINET 49x49x100 cm



WEIGHT ± 5%	22kg			
LOAD CAPACITY				
	3 T	1.3 T	X	
CONTAINER	20FT	88	40HC	240

PLASTIC CABINET 90x60x50 cm



WEIGHT ± 5%	15kg			
LOAD CAPACITY				
	3 T	1.3 T	X	
CONTAINER	20FT	80	40HC	200

PLASTIC CABINET 105x50x50 cm



WEIGHT ± 5%	24kg			
LOAD CAPACITY				
	3 T	1.3 T	X	
CONTAINER	20FT		40HC	

HARD COVERD SPILL PALLET 149x99x169 cm



WEIGHT ± 5%	95kg			
LOAD CAPACITY				
	3 T	1.3 T	X	
CONTAINER	20FT		40HC	

SALVAGE DRUM 20/30/65/95 GALLON



WEIGHT ± 5%	5.5kg/9.5kg/18kg			
LOAD CAPACITY				
	3 T	1.3 T	X	
CONTAINER	20FT		40HC	

SALVAGE DRUM 65/95 GALLON



WEIGHT ± 5%	21kg/25kg			
LOAD CAPACITY				
	3 T	1.3 T	X	
CONTAINER	20FT		40HC	

WATER BOTTLES PALLETS

ONE TIME INJECTION

GROUND USE

STACKABLE



4 WAY
✓



4 WAY
✓

WATER RACK 5 GALLON 4 LAYERS



WEIGHT ± 5%	102.7kg			
LOAD CAPACITY				
	4 T	1 T	X	
CONTAINER	20FT	18	40HC	44

ENL-12 bottle pallet 108 x 81 x 17 cm



WEIGHT ± 5%	13.5kg			
LOAD CAPACITY				
	4 T	1 T	X	
CONTAINER	20FT	200	40HC	500

ENL-16 bottle pallet 108 x 108 x 18 cm



WEIGHT ± 5%	17kg			
LOAD CAPACITY				
	4 T	1 T	X	
CONTAINER	20FT	150	40HC	380